

## Thomson Electrak® Smart Linear Actuators

Electromechanical Solutions for Intermittent Duty Cycle Automation







### Designing Smart Machines Starts with Smart Tools


As the industrial world becomes increasingly connected, the designer's need for intelligent components that can communicate with each other and operate without the need for manual interaction is growing. Thomson, a trusted manufacturer that has always been committed to staying ahead of the technology curve, is meeting this demand and helping to usher in a new generation of "smart" actuators.

#### What is Smart Actuation?

The crux of smart actuation begins with the integration of onboard electronics, which enables enhanced control functions that were previously external, such as switching, position feedback and system diagnostics, directly into the actuator. Newer actuators from Thomson incorporate microprocessor-based printed circuit boards with complementary software which allows communication between remote networks.

#### **Benefits**

- Increased efficiency and productivity.
- Enhanced diagnostic capabilities and controllability.
- Fewer components and less cabling.
- Minimized complexity and easier installation.
- Reduced hardware and software costs.
- Decreased machine development time and weight.
- Improved machine functionality and performance.







# ACTUATION

**IMPROVE** 

**REDUCE** 

EFFICIENCY
DIAGNOSTICS
PRODUCTIVITY
PERFORMANCE
CONTROLLABILITY

COMPLEXITY
ENGINEERING
COMPONENTS
OVERALL COSTS
INSTALLATION TIME





### Reaching New Markets

Smart actuators are increasingly finding their way into applications that were once dominated by pneumatic and hydraulic systems. The mobile off-highway (MOH) vehicle market was among the first to deploy electric actuators for enhanced control and automation capabilities available in the field. However, other industries have begun to realize the many benefits of smart actuation.

#### **Factory Automation**

- Safer and cleaner environment, highlighted by elimination of hydraulic fluid leaks.
- Bus communication, low-level switching, intermittent duty cycles and high power density in a compact envelope.
- Improved efficiency of preventive maintenance programs and reduced downtime due to condition monitoring.
- Reduction of malfunctioning or worn parts through elimination of hydraulic pumps, valves and hoses.
- Simplified control with monitoring of operation-critical parameters.
- Cost savings via removal of external switches and controls, reduction in installation time, and lack of power consumption without load.
- Increased design flexibility by modifying input parameters when an actuator is used for different applications.

#### **Construction and Agricultural Equipment**

- Simplified, less expensive system design due to integration of external control boxes, fewer wires and quick connection to existing networks.
- Increased motion control capabilities via position feedback and out-of-the-box options for bus communication.
- Cleaner environment as a result of no fluids, chemicals or solvents necessary for operation.
- Robust and reliable operation, even in demanding environments, enabled by Thomson high testing standards.
- Increased operator safety as processes can be done from inside the machine cabin.





#### **Material Handling**

- Advanced position control and switching enable an infinite number of movement profiles and custom motion strategies.
- High power density makes equipment more compact and battery powered machines more efficient.
- Safer and cleaner environment, highlighted by elimination of hydraulic fluid leaks.
- No need for hefty power supply or relay for control.
- Less stress is put on system batteries and charging systems due to onboard, low-level switching, which uses low-current signals to control the travel.
- Robust and reliable operation, even in demanding environments, ensured by Thomson high testing standards.
- Easy installation and maintenance from a plug-and-play, turnkey solution.
- Greater capability to synchronize operations among multiple actuators, including configuration of start-andstop instruction.

#### **Domestic, Office and Hospital Equipment**

- Manual-to-electromechanical conversion assists with load and ergonomics.
- No manual lifting saves time and eliminates strain for users/patients.
- Programmable positions, including sitting and standing positions at a workstation or desk, are possible.
- Safer and cleaner environment, highlighted by elimination of hydraulic fluid leaks.
- Using the battery as a power source frees you from having to use wall outlets.
- Saves energy due to lack of power consumption when holding a static load.
- Easy to integrate into home automation systems compared to other mechanical solutions.
- Enhanced safety with several connected axes able to communicate with each other and interlock functionality.







### Smart Actuation Feature Breakdown

It's all about control. With onboard electronics allowing you to make standalone controls a thing of the past, a new world of interconnected possibilities awaits your machine designs. The Thomson Electrak® Modular Control System (EMCS) is the foundation for the best onboard controls currently available in electric linear actuators and includes standard and optional features such as built-in J1939 CAN bus support. This level of control helps save design and installation time, as well as space and installation cost. Plus, a generous selection of control configurations can tailor your smart actuator to fit a wide breadth of heavy duty applications.



When positioning a sky lift basket, using smart actuators makes it possible to limit movements and avoid potential dangers.

#### **Low-Level Switching**

Onboard electronics limits current draw at switches or contacts to a maximum of 22 mA, enabling a simplified and less expensive system design. These low-current signals can be used to program actuators to extend, retract or stop the tube, providing a soft start. This improves safety by reducing the hazard of electrical shock and puts less stress on system batteries and charging systems. An auto sleep feature also helps improve efficiency by reducing power consumption during idle or dwell periods.

#### **Analog Position Feedback**

A high-quality potentiometer with essentially infinite resolution and low noise provides a voltage signal for position and direction feedback.

#### **Digital Position Feedback**

An encoder provides either a single or double channel pulse train for position and speed feedback, which can be used to synchronize actuators via customer control.





#### **Monitoring and Diagnostics**

Constant monitoring of critical parameters such as voltage, speed, force and temperature protects the actuator and machine by preventing motion if outside normal ranges. Current monitoring is a critical safety feature that shuts down the actuator on overload and eliminates the need for the traditional noisy mechanical clutch. Internal endof-stroke limit switches are built into select actuators to ensure smooth, repeatable operation and protect both connected equipment and the actuator.

**Electrak HD** 

#### **Simplified Control Architectures**





When adding CAN bus, your control system and actuators can communicate directly with each other. The installation is fast and easy, requiring only a two-wire bus cable and power to extend the network, and any other equipment with CAN bus can be connected for additional communication. The result is a less complex system to design, better performance and controllability, and reduced installation time and overall cost.



#### **Remote Access and Communication Protocols**




Integrated electronics make it possible for actuators to apply networking standards, such as J1939, a highlevel communications protocol that provides a standard messaging structure for communications among network nodes under control of an electronic control unit. While J1939 is popular for off-highway applications, actuators with integrated electronics are increasingly applied in plant floor, material handling and other applications.







### **Building a Smarter Factory**

An interconnected factory is a productive, efficient factory. Once smart actuation is introduced into a facility's automation process, the benefits are immediate and exponential. Machine design is simplified with increased flexibility and plug-and-play functionality, control capabilities are enhanced, energy usage is decreased, maintenance and downtime experience significant reductions, safety and ergonomics improve, and overall costs are lessened.








For further detail on factory applications that benefit from smart actuation, see the next page.




### A Closer Look at Smart Actuation in the Factory




#### **Machine Operation and Safety**

• Easy-to-build interlock functions prevent machines from functioning when hatches are open.




#### **Assembly/Control Stations and Fixtures**

- Operators adjust their workplaces to minimize the risk of injury, while securing material and other equipment during the assembly process.
- The burden of heavy and/or repetitive lifts is eliminated.
- Compared to pneumatic or hydraulic solutions, electric actuators achieve improved controllability, greater accuracy, less noise, cleaner operation and reduced operating costs.



#### **Logistic Trains and Automated Guided Vehicles (AGV)**


 Precise control, reliable feedback and no creeping at a standstill allow you to control forks, tools and other functions in order to pick, place and handle material or goods.  High loads are held with no power, optimizing the battery life and reducing the charging intervals.







### Take Smart Actuation On and Off the Highway

On land, water or any other terrain, efficient linear motion control on vehicles, machines and equipment helps keep businesses moving. In these applications, you will find smart actuation making its biggest impact.







For further detail on factory applications that benefit from smart actuation, see the next page.




### Make Your Environment Smarter

#### **Combines**

Electromechanical actuation is ideal for hard-to-reach places that may require complex control to function.

• Integrated electronics allow you to drop in an actuator where a more complicated control scheme for hydraulics or air would have been previously.

• Common applications include sieve leveling, auger tube fold, hood lift and grain bin cover.




#### **Skid Steer Excavators**

• These utilize a quick-attach system to connect and disconnect multiple attachments to the front of the vehicle.

Reliable Thomson smart actuators integrate into the cab controls to provide the convenience of swapping attachments without having the operator exit the cab.


Position feedback allows the operator to confirm the implement (i.e. bucket) is securely locked before deploying the machine.



#### **Marine Vessels**

 Thomson smart actuators' rating for IP67 (static), IP69K (static) and IP66 (static/dynamic) address the strict sealing capabilities required by electronics integration.

• Corrosion resistant coatings and surface treatments prevent oxidation in high salinity environments.



#### **Public Transportation**

• Smart actuation is more environmentally friendly and cost effective than hydraulic and pneumatic systems.

 Trains and buses using actuators for pantographs benefit from the robust construction to achieve long life in harsh environments.

 Overload sense and confirmed position are vital to user safety.










### Making Structural Automation Smarter

In today's world, we often take for granted many luxuries that make our everyday lives easier. This allows us to focus more of our time and energy on getting our jobs done, relaxing comfortably or enjoying the company of loved ones. Smart actuation can be found integrated into many residential and commercial automation applications that afford us these luxuries.







For further detail on factory applications that benefit from smart actuation, see the next page.



### A Closer Look at Structural Automation

#### **Patio Roofs**


- Automated roof systems offer the convenience of a push-button solution to open and close the louvers on an outdoor pergola.
- The quiet and power-dense
   WhisperTrak™ actuator provides
   control with a variety of electronic
   feedback options.
- Provides hassle-free actuation to an otherwise manual operation.



#### **Kitchen Equipment**


- Thomson smart actuators deliver enhanced controllability to industrial kitchen applications.
- OEMs benefit from an electromechanical solution that is cleaner and more efficient than many pneumatic and hydraulic alternatives.


 The actuators fit into the application without a complicated control



#### **Garbage Compactors and Recycle Stations**

• Employed primarily in commercial kitchens, bakeries, shops, restaurants and warehouses.









### Thomson Actuators Overview

Actuator Features				
	Electrak® Original Range	Max Jac		
Control Technology Rating				
Position Feedback Analog / Digital	YES / NO	YES / YES		
End-of-Stroke Protection Slip Clutch / ELS	YES / NO	NO / NO		
Overload Protection Slip Clutch / ELM	YES / NO	NO / NO		
Low-Level Switching	NO	NO		
J1939 CAN Bus Communication	NO	NO		
Operation Monitoring Basic / EMP	NO	NO		
Load Capacity Rating	****	**		
Environmental Protection Rating	***	****		

ELS: Electronic Limit Switch
ELM: Electronic Load Monitoring
EMP: Electronic Monitoring Package

WhisperTrak	Electrak Throttle	Electrak HD
	***	****
YES / YES	YES / NO	YES / YES
NO / YES	YES / YES	NO / YES
NO / YES	YES / YES	NO / YES
YES	NO	YES
NO	YES	YES
YES / NO	YES / NO	YES / YES
***	*	****
***	****	****



### **Smart Actuators Overview**

#### Electrak® HD

The Electrak HD sets the bar for the electric linear actuator platform. Onboard electronics can eliminate the need for standalone controls, higher power opens a wider range of hydraulic applications to electric conversion, and it meets the most extreme environmental acceptance tests.

More information: www.thomsonlinear.com/hd



Simplify installation and increase operator safety and productivity with the space-saving design and electromechanical interface of Thomson Electrak Throttle linear actuators. These models allow engine speed controls for industrial vehicles to be placed in ergonomic positions. The rugged aluminum housing offers IP69K/IP67 sealing and is e-coated for corrosion resistance to make the throttle actuator maintenance-free

More information:www.thomsonlinear.com/throttle

#### WhisperTrak™

Thomson WhisperTrak models are the quietest additions to our well-known electric linear actuator family. This actuator range sets the standard for medical, personal mobility, material handling, marine and structural automation applications. It is small, quiet, washdown-proof and robust. More information: www.thomsonlinear.com/whispertrak

#### **Custom Solutions**

Even the most versatile actuator may not always suit all applications. Thomson engineers are ready to help you to customize the actuators according to your requirements. We build more custom actuators than anyone else and have decades of experience of producing actuators to meet special needs.







Specifications				
		Electrak HD	Electrak Throttle	WhisperTrak
Screw type		ball	lead	lead
Nut type		load lock ball nut	self-locking lead nut	self-locking lead nut
Manual override		yes	no	no
Anti-rotation		yes	yes	yes
Dynamic braking		yes	optional	optional
Static load holding		yes (brake)	yes (self locking)	yes (self locking)
End-of-stroke protection		internal limit switches	optional	optional
Overload protection		yes	yes	optional
Temperature monitoring		yes	yes	yes
Voltage monitoring		yes	yes	no
Available input voltages	[VDC]	12, 24	12, 24	12, 24
Max. static load (1)	[N (lbs)]	18000 (4050)	260 (60)	4000 (900)
Max. dynamic load (Fx)	[N (lbs)]	10000 (2248)	130 (30)	4000 (900)
Speed @ no load/max. load	[mm/s (in/s)]	71/58 (2.80/2.28)	96/83 (3.70/3.30)	11/8 (0.43/0.31)
Max. ordering stroke (S) length	[mm]	1000	50.8	500
Operating temperature limits	[°C (F)]	-40-85 (-40-185)	- 40 — 85 (- 40 <del>–</del> 185)	-25 - 40 (-13 - 104)
Full load duty cycle @ 25 °C (77 °F)	[%]	25	50	10
Protection class - static		IP67 / IP69K	IP67 / IP69K	IP67
Salt spray resistance	[h]	500	500	not tested
Control options		<ul> <li>End-of-stroke output</li> <li>Analog position feedback</li> <li>Digital position feedback</li> <li>Low-level switching</li> <li>CAN bus J1939</li> </ul>	<ul> <li>Extended temp. range</li> <li>Analog position feedback</li> <li>End-of-stroke limit switches</li> <li>CAN bus J1939</li> </ul>	<ul> <li>Electronic limit switches</li> <li>Low-level switching</li> <li>Analog position feedback</li> <li>Digital position feedback</li> </ul>




### **Smart Online Resources**

Thomson offers a wide variety of online tools to help you in the selection process. An experienced team of application engineers is also available to help size and select a smart actuator model to best fit your needs. To explore additional technical resources and options, contact Thomson customer support at www.thomsonlinear.com/contact.

#### **LinearMotioneering for Linear Actuators**

Coming soon, this tool makes choosing the right actuator for your application simple.




#### **Special Purpose Websites**

The fastest way to get all the relevant information on hot topics and new products.




#### **Product Selectors**

The product selector will walk you through the selection process.




#### **Interactive 3D CAD Models**

Download free interactive 3D CAD models in the most common CAD formats.



### **Getting Smarter Since 1965**

Thomson is a leader for electromechanical linear actuators in the most demanding applications, including construction and agriculture vehicles. We routinely collaborate with original equipment manufacturers globally to solve problems, boost efficiency and enhance the value passed on to their customers.





### Frequently Asked Questions

Here are the answers to common questions. Please contact customer support if you need more information at www.thomsonlinear.com/cs.

### How many actuators can be controlled over J1939 CAN bus?

As many as the bus will allow, but physically up to 256 on the same network according to the J1939 protocol.

#### Where can I get more CAN bus information?

Contact Thomson customer support for all J1939 needs with our smart industrial linear actuators. Further information about the J1939 specifications can be found from SAE International at www.sae.org.

#### What are IP ratings?

International Protection Marking (IP) ratings are commonly referenced standards that classify electrical equipment using standard tests to determine resistance to ingress of solid objects (first digit) and liquids (second digit). See the IP Ratings table below.

#### How is the duty cycle determined?

The duty cycle = on time / on time + off time. For example, if an actuator is powered for 15 seconds and then off for 45 seconds, the duty cycle for that minute would be 25%. All models have a specific rating at full load at an ambient temperature of 25°C (77°F). If load and/or ambient temperature are lower, then the duty cycle can exceed the rating. At higher temperatures, the duty cycle will be lower.

### Are Electrak and WhisperTrak actuators maintenance free?

Yes. They never require lubrication, maintenance or adjustment for wear.

IP Rating				
Code	First Digit Definition	Second Digit Definition		
0	No protection.	No protection.		
1	Protected against solid objects over 50 mm.	Protected against vertically falling drops of water.		
2	Protected against solid objects over 12.5 mm.	Protected against vertically falling drops of water, if the case is disposed up to 15° from vertical		
3	Protected against solid objects over 2.5 mm.	Protected against vertically falling drops of water, if the case is disposed up to $60^\circ$ from vertical		
4	Protected against solid objects over 1 mm.	Protected against splash water from any direction.		
5	Limited protection against dust ingress (no harmful deposits).	Protected against low-pressure water jets from any direction. Limited ingress permitted.		
6	Totally dust protected.	Protected against high-pressure water jets from any direction. Limited ingress permitted.		
7	-	Protected against short periods of immersion in water.		
8	_	Protected against long, durable periods of immersion in water.		
9K	-	Protected against close-range, high-pressure, high-temperature spray downs.		

### Is it possible for a load to back-drive the extension tube on a Electrak or WhisperTrak actuator?

No. They either have an anti-back-drive brake or are self-locking.

#### Can Electrak or WhisperTrak be side loaded?

No. A proper design of the application should eliminate any side loads.

#### What is manual override?

Manual override allows the actuator extension tube to be moved manually by inserting a crank in the manual override input, which can be useful at power downs or other electrical failures.

#### What is anti-rotation?

Anti-rotation allows the extension tube to be moved without having the actuator mounted to the front and rear adapters. Without anti-rotation, the extension tube would not move but just rotate in such a situation.

#### What is dynamic braking?

Dynamic braking means that the motor windings are short circuited at power off, which results in faster and more accurate stops. On actuators with dynamic braking, this feature is built into the actuator. On those without, dynamic braking can be achieved by adding external circuitry.

### What are the most common reasons for premature actuator failure?

Side load due to incorrect mounting, shock loading, exceeding the duty cycle and incorrect wiring are the most prominent causes for premature failure.

#### **Can Thomson supply controls for the actuators?**

Yes. Thomson offers a range of controls for different purposes. Contact customer support for more information or visit www.thomsonlinear.com/ILA\_controls.

### Can Electrak or WhisperTrak actuators be customized?

Yes. Thomson can do almost anything — from a smaller alteration to a white paper design. Contact customer support for more information.

#### **EUROPE**

#### **United Kingdom**

Thomson

Office 9, The Barns Caddsdown Business Park Bideford, Devon, EX39 3BT Phone: +44 (0) 1271 334 500

E-mail: sales.uk@thomsonlinear.com

#### Germany

Thomson

Nürtinger Straße 70 72649 Wolfschlugen Phone: +49 (0) 7022 504 0 Fax: +49 (0) 7022 504 405

E-mail: sales.germany@thomsonlinear.com

#### **France**

Thomson

Phone: +33 (0) 243 50 03 30 Fax: +33 (0) 243 50 03 39

E-mail: sales.france@thomsonlinear.com

#### Italy

Thomson

Largo Brughetti 20030 Bovisio Masciago Phone: +39 0362 594260 Fax: +39 0362 594263

E-mail: sales.italy@thomsonlinear.com

#### Spain

Thomson

E-mail: sales.esm@thomsonlinear.com

#### Sweden

Thomson Estridsväg 10 29109 Kristianstad Phone: +46 (0) 44 24 67 00

Fax: +46 (0) 44 24 40 85 E-mail: sales.scandinavia@thomsonlinear.com

### SOUTH AMERICA

#### **Brasil**

Thomson Av. Tamboré, 1077

Barueri, SP - 06460-000 Phone: +55 11 3616-0191 Fax: +55 11 3611 1982

E-mail: sales.brasil@thomsonlinear.com

#### USA, CANADA and MEXICO

Thomson

203A West Rock Road Radford, VA 24141, USA Phone: 1-540-633-3549 Fax: 1-540-633-0294

E-mail: thomson@thomsonlinear.com Literature: literature.thomsonlinear.com

#### **ASIA**

#### **Asia Pacific**

Thomson

E-mail: sales.apac@thomsonlinear.com

#### China

Thomson

Rm 2205, Scitech Tower 22 Jianguomen Wai Street

Beijing 100004

Phone: +86 400 6661 802 Fax: +86 10 6515 0263

E-mail: sales.china@thomsonlinear.com

#### India

Thomson

c/o CNRG Energy India Pvt. Ltd.

Unit No. FF A 07

Art Guild House, A Wing, 1st Floor, L.B.S Marg

Kurla - West, Mumbai - 400070 India

Phone: +0091 22 6249 5043

Email: sales.india@thomsonlinear.com

#### Japan

Thomson

Minami-Kaneden 2-12-23, Suita Osaka 564-0044 Japan Phone: +81-6-6386-8001 Fax: +81-6-6386-5022 E-mail: csjapan@scgap.com

#### **South Korea**

Thomson

F7 Ilsong Bldg,

507, Teheran-ro, Gangnam-gu, Seoul, Korea, Zip Code: 06168 Phone: +82 2 6917 5048 & 5049 Fax: +82 2 528 1456 & 1457

E-mail: sales.korea@thomsonlinear.com